EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	7	SINGH-GAURAV.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:39
L3	1	KANI-ALI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:39
L4	1	KATTEL-KIRAN.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:39
L5	4	SUBRAMANIAN-SRIDHAR .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:39
L6	7	YANG-BRIAN-HANG-WAI. in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:39
L7	12	L2 or L3 or L4 or L5 or L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 08:39
S3	2	("20050083945").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:54

S4	7	SINGH-GAURAV.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:13
S5	1	KANI-ALI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S6	1	KATTEL-KIRAN.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S7	4	SUBRAMANIAN-SRIDHAR .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S8	7	YANG-BRIAN-HANG-WAI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:16
S10	334	370/395.31.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:47
S11	29560	370/389-423.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:48
S12	4787	(controller$1 or manager$1) same (table$1 or database$1 or memor$3) and S11	USPAT	OR	OFF	2007/11/13 07:58
S13	987	(controller$1 or manager$1) same (table$1 or database$1 or memor$3) same (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 07:59

S14	706	(controller$1 or manager$1) with (table$1 or database$1 or memor$3) same (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 08:00
S15	423	(controller$1 or manager$1) with (table$1 or database$1 or memor$3) with (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 08:00
S16	19	(controller$1 or manager$1) with (table$1 or database$1 or memor$3) with ((MAC or media adj access adj control) AND (IP or internet adj protocol)) and S11	USPAT	OR	OFF	2007/11/13 08:40
S20	727	controller$1 with (layer adj "2")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:07
S21	634	controller$1 with (layer adj "3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44
S22	223	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44
S23	51	S20 and S21 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44
S24	21	controller$1 with (layer adj "2") with table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:12

S29	37	controller$1 with (layer adj "2" adj3 table$1) or controller$ with (MAC or media adj access adj control$3) adj3 table$1 and controller$1 with (layer adj "3" adj3 table $1) or controller$ with (IP or internet adj protocol$1) adj3 table$1 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:20
S31	106	(controller$1 with ((layer adj "2" or "L2") adj3 table $1) or controller$ with (MAC or media adj access adj control$3) adj3 table $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:42
S32	87	controller$1 with (layer adj "3" or "L3") adj3 table $1 OR controller$ with (IP or internet adj protocol$1) adj3 table$1 OR "L2"$1L3 adj controller $1 with (layer adj "3" or "L3") adj3 table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:15
S34	11	S32 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:44
S38	5	("L2"$1L3 or "L3"$1L2) adj (controller$1 or manager$1 or processor $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:52
S40	95	("L2"$1L3 or "L3"$1L2) with (controller$1 or manager$1 or processor $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:52
S41	4	("L2"$1L3 or "L3"$1L2) with (controller$1 or manager$1 or processor $1) same table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:03

S42	9	("L2"$1L3 or "L3"$1L2) same (controller$1 or manager$1 or processor $1) same table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:08
S43	5819	(configur$3 or arrang$3 or assembl$3 or built) with "L3"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:16
S44	2955	"L3" with (configur$3 or arrang$3 or assembl$3 or built) with "L2"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:17
S45	95	"L3" with (configur$3 or arrang$3 or assembl$3 or built) with "L2" same table $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:18
S46	44	"L3" with (configur$3 or arrang$3 or assembl$3 or built) with "L2" with table $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:44
S47	142	("L3" or layer adj "3") adj3 (table$1 or database $3) with (MAC or media adj access adj control$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:51
S49	167	(layer adj "2" or "L2") with (look$1up or look adj up) and (layer adj "3" or "L3") with (look$1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:22
S50	154	(layer adj "2" or "L2") with (look$1up or look adj up) same (layer adj "3" or "L3") with (look $1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:23
S51	52	(layer adj "2" or "L2") adj3 (look$1up or look adj up) same (layer adj "3" or "L3") adj3 (look $1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:23

S52	7	controller$1 with (layer adj "3" or "L3") adj3 table $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:20
S53	611	(layer adj "3" or "L3") adj3 (controller$1 or processor$1 or manager $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:22
S54	13	(layer adj "3" or "L3") adj3 (controller$1 or processor$1 or manager $1) with table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:40
S55	2	"L2"$1L3 adj (look$1up or look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:41
S56	10	"L2"$1L3 with (look$1up or look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:39
S57	914	(layer adj "2" or "L2") adj3 table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:40
S58	108	(layer adj "2" or "L2") adj3 table$1 and hash$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:41
S59	19	(layer adj "2" or "L2") adj3 table$1 with hash$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 09:21

S60	107	(layer adj "3" or "L3") adj3 table$1 with ((layer adj "3" or "L3") and (layer adj "2" or "L3")) adj3 (entr$3 or data or field$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 09:32
S61	5	(layer adj "3" or "L3") adj3 table$1 with ((layer adj "3" or "L3") and (layer adj "2" or "L2")) adj3 (entr$3 or data or field$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:43
S62	1	(layer adj "3" or "L3") adj3 table$1 same ("72"$1bit$1 or "72" adj bit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:45
S64	1	(layer adj "3" or "L3") adj3 table$1 same ("90"$1bit$1 or "90" adj bit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:47
S66	19603	first adj3 table same second adj3 table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:50
S67	488	first adj3 table same second adj3 table$1 and ((layer adj "2" or "L2") same (layer adj "3" or "L3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:52
S68	21	first adj3 table same second adj3 table$1 same ((layer adj "2" or "L2") same (layer adj "3" or "L3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:09
S69	1	first adj3 table same second adj3 table$1 same "L2"$1L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:19

S70	1401	first adj3 table same second adj3 table$1 and (first adj3 (lookup or look $1up or look adj up) and second adj3 (lookup or look$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:23
S71	1311	(first adj3 table same second adj3 table$1) same (first adj3 (lookup or look$1up or look adj up) and second adj3 (lookup or look$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
S72	151	(first adj3 table same second adj3 table$1) same (first adj3 (lookup or look$1up or look adj up) and second adj3 (lookup or look$1up or look adj up)) and ("370". clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:29
S73	178	(second adj3 table$1) same (first adj3 (lookup or look$1up or look adj up)) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:32
S75	98	(second adj3 table$1) with (first adj3 (lookup or look$1up or look adj up)) and ("370".clas. or "711". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:10
S76	303	(table$1) same (first adj3 (lookup or look$1up or look adj up)) and mode and ("370".clas. or "711". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:11
S77	13	(table$1) same (first adj3 (lookup or look$1up or look adj up)) same mode and ("370".clas. or "711". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:14
S78	1	(table$1) same (first adj3 (lookup or look$1up or look adj up)) same (first or second) adj (mode or embodiment or arrangement) and ("370". clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:16

S79	28	(table$1) same (first adj3 lookup or look$1up or look adj up)) same (first or second) adj (mode or embodiment or arrangement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:24
S80	2258	(table$1) with (first adj3 lookup or look$1up or look adj up)) and (table $1) with (second adj3 (lookup or look$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:25
S81	241	(table$1) with (first adj3 lookup or look$1up or look adj up)) and (table $1) with (second adj3 (lookup or look$1up or look adj up))and ("370". clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:27
S88	93	((first adj3 table$1) with (first adj3 (lookup or look $1up or look adj up)) AND (first adj3 table$1) with (second adj3 (lookup or look$1up or look adj up)) OR (second adj3 table$1) with (first adj3 (lookup or look$1up or look adj up)) AND (second adj3 table$1) with (second adj3 (lookup or look$1up or look adj up))) and ("370". clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:41
S89	1	("6907469").PN.	USPAT; USOCR	OR	OFF	2007/11/14 17:05
S91	1	table$1 same (more adj2 ("72"$1bit$1or72bits) or least adj2 ("72"$1bit$1 or 72bit$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:04
S92	3929	table$1 with (more adj2 bit$1 or least adj2 bit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:05

S93	346	table$1 with (more adj2 bit$1 or least adj2 bit$1) and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:05
S94	23	parallel adj (functionality or process$3) same (lookup or look$1up or look adj up) same (table $1 or database$1 or entr $3) and ("370".clas. or "711".clas.)	USPAT	OR	OFF	2007/11/15 10:59
S96	2	("20050175005").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 11:00
S97	1435	(controller or manager or processor) same (table or list or database) same ((IP and MAC) or (layer "3" and layer "2") or "L2"$1L3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:19
S98	120	(controller or manager or processor) same (table or list or database) same ((IP and MAC) or (layer "3" and layer "2") or "L2"$1L3) and 370/389. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:21
S99	8	(controller or manager or processor) same (configur $3 ir arrang$3 or build$3 or built) same (table or list or database) same ((IP and MAC) or (layer "3" and layer "2") or "L2"$1L3) and 370/389. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:24
S100	9	(controller or manager or processor) same (configur $3 ir arrang$3 or build$3 or built) same (table or list or database) same ((IP and MAC) or (layer "3" and layer "2") or "L2"$1L3) and 370/392. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:28

S101	3	(controller or manager or processor) same (configur$3 ir arrang$3 or build$3 or built) same (table or list or database) same ((IP and MAC) or (layer "3" and layer "2") or "L2"$1L3) and 370/401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:34
S102	3002	((layer "2" and Layer "3") or ("L2" and "L3") or (first type lookup and second type lookup) or (IP adj (look up or looking up or look$1up) adj (table or database or list) and MAC adj (look up or looking up or look $1up) adj (table or database or list)))with (controller or manager or processor or CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:51
S103	3002	((layer "2" and Layer "3") or ("L2" and "L3") or (first type lookup and second type lookup) or (IP adj (look up or looking up or look$1up) adj (table or database or list) and MAC adj (look up or looking up or look $1up) adj (table or database or list)) with (controller or manager or processor or CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:53
S104	1749	"L2"$1L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:55
S105	562	(layer "2" and Layer "3" or "L2"$1L3 or "L2" and "L3") near3 (controller or manager or processor or CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:57
S106	26	(layer "2" and Layer "3" or "L2"$1L3 or "L2" and "L3") near3 (controller or manager or processor or CPU) and 370/389.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 16:59

S107	33	(layer "2" and Layer "3" or "L2"$1L3 or "L2" and "L3") near3 (controller or manager or processor or CPU) and 370/392.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:16
S108	32	(layer "2" and Layer "3" or "L2"$1L3 or "L2" and "L3") near3 (controller or manager or processor or CPU) and 370/401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:26
S109	7	(layer "2" or "L2" or MAC) adj2 (table or database or list) with (layer "3" or "L3" or IP) adj2 (table or database or list) with (convert$3 or configur$3 or arrang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:32
S110	1	((layer "2" or "L2" or MAC) adj2 (table or database or list) with (layer "3" or "L3" or IP) adj2 (table or database or list) with (convert$3 or configur$3 or arrang$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:40
S111	2843	((configur$3 or arrang$3 or chang$3 or alter$3) same (lookup or look $1up or look up) same table).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:47
S112	694	((configur$3 or arrang$3 or chang$3 or alter$3) same (controller or processor) same (lookup or look$1up or look up) same table).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:48
S113	495	((configur$3 or arrang$3 or chang$3 or alter$3) with (controller or processor) with (lookup or look$1up or look up) with table).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:49
S114	146	((configur$3 or arrang$3 or alter$3) with (controller or processor) with (lookup or look$1up or look up) with table).clm. and @py<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 17:50

4/11/2008 8:58:00 AM
C:\ Documents and Settings\ lbell\ My Documents\ EAST\ Workspaces\ 10687789.wsp